

Report No.: LCS200506016AR001

Date: 2020.05.11

Page 1 of 11

Applicant

: SRNE Solar Co., Ltd

Address

4-5F,13A Wutong Island, Neihuan Rd, Xixiang, Bao'an, Shenzhen, Guangdong,

China

Report on the submitted samples said to be:

Sample Name

: ALL-in-one Solar Charge inverter

Trade Mark

: N/A

HF2420S40-75, HF2420S60-100, HF2420S60-145, HF2420S80-145,

Style No.

HF2430S40-75, HF2430S60-100, HF2430S60-145, HF2430S80-145, HF2415U60-145, HF2420U60-145, HF2430U60-145,

HF2430U60-100, HF2420U60-100

Testing Period

: May 06, 2020 ~ May 11, 2020

Results

: Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diispbutyl phthalate(DIBP) content comply with the limit requirement as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	Pass

Signed for and on behalf of LCS





Report No.: LCS200506016AR001 Date: 2020.05.11 Page 2 of 11

Results:

A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)			Res	sults			Date of sample
		Cd	Pb	На	Ha Cr [▼]		Br [▼]	submission/resu
		Cu	FU	Pb Hg Cr*	01	PBBs	PBDEs	bmission
1	Silver metal plate	BL	BL	BL	BL	1	1	2020-05-06
2	Red plastic cord	BL	BL	BL	BL	BL	BL	2020-05-06
3	Golden metal wire	BL	BL	BL	BL	1	1	2020-05-06
4	Green ceramic	BL	BL	BL	BL	BL	BL	2020-05-06
5	Copper wire	BL	BL	BL	BL	/	1	2020-05-06
6	Black plastic cord	BL	BL	BL	BL	BL	BL	2020-05-06
7	Black body	BL	BL	BL	BL	BL	BL	2020-05-06
8	Blue body	BL	BL	BL	BL	BL	BL	2020-05-06
9	Black soft plastic sleeve	BL	BL	BL	BL	BL	BL	2020-05-06
10	Gray body	BL	BL	BL	BL	BL	BL	2020-05-06
11	Red body	BL	BL	BL	BL	BL	BL	2020-05-06
12	Black yellow plastic belt	BL	BL	BL	BL	BL	BL	2020-05-06
13	Black core	BL	BL	BL	BL	BL	BL	2020-05-06
14	Golden metal wire	BL	BL	BL	BL	1	<u>></u>) 1	2020-05-06
15	White plastic wire sleeve	BL	BL	BL	BL	BL	BL	2020-05-06
16	Silver metal shell	BL	BL	BL	BL	/	1	2020-05-06
17	Silver crystal	BL	BL	BL	BL	1	1	2020-05-06
18	Blue body	BL	BL	BL	BL	BL	BL	2020-05-06
19	Black ceramic	BL	BL	BL	BL	BL	BL	2020-05-06
20	Copper wire	BL	BL	BL	BL	1	1	2020-05-06
21	Green plastic shell	BL	BL	BL	BL	BL	BL	2020-05-06
22	Gold metal plate	BL	BL	BL	BL	1	//	2020-05-06
23	Golden metal needle	BL	BL	BL	BL	1	1	2020-05-06
24	White plastic port	BL	BL	BL	BL	BL	BL	2020-05-06
25	Green PCB board	BL	BL	BL	BL	Х	Х	2020-05-06





Report No.: LCS200506016AR001 Date: 2020.05.11 Page 3 of 11

Note:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
0.1		BL≤70-3σ <x< td=""><td>BL≤70-3σ<x< td=""><td>BL≤50-3σ<x< td=""></x<></td></x<></td></x<>	BL≤70-3σ <x< td=""><td>BL≤50-3σ<x< td=""></x<></td></x<>	BL≤50-3σ <x< td=""></x<>
Cd	mg/kg	<130+3σ≤OL	<130+3σ≤OL	<150+3σ≤OL
Pb mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>	
	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
Hg mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>	
	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL	
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>- B</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	- B	BL≤250-3σ <x< td=""></x<>

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content













Report No.: LCS200506016AR001 Date: 2020.05.11 Page 4 of 11

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)			
Cadmium (Cd)	100			
Lead (Pb)	1000			
Mercury (Hg)	1000			
Hexavalent Chromium (Cr(VI))	1000			
Polybrominated biphenyls (PBBs)	1000			
Polybrominated diphenylethers (PBDEs)	1000			
Dibuyl Phthalate(DBP)	1000			
Benzylbutyl Phthalate(BBP)	1000			
Bis(2-ethylhexyl) Phthalate(DEHP)	1000			
Diispbutyl phthalate(DIBP)	1000			

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.







Report No.: LCS200506016AR001 Date: 2020.05.11 Page 5 of 11

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)







Report No.: LCS200506016AR001 Date: 2020.05.11 Page 6 of 11

Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm²
- = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13ug/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than 0.10ug/cm²). The sample coating is considered a non- Cr(VI) based coating
 - c. The result between $0.10\mu g/cm^2$ and $0.13\mu g/cm^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments. Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.
- Flow chart appendix is included.
- Photo appendix is included.
- The LCS200506016AR001 report replaces the original LCS200506016AR report, and the original report is invalid.







Report No.: LCS200506016AR001 Date: 2020.05.11 Page 7 of 11

1) The test results of DBP,BBP,DEHP & DIBP

Item	Unit	MDL	Results	I imaid
ltem (G)			2+4+6+7+8+9	Limit
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	Unit	MDL	Results	Limit
			10+11+12+13+15+18	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	Unit	MDL	Results	1 ::4
			19+21+24+25	Limit
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000







Report No.: LCS200506016AR001 Date: 2020.05.11 Page 8 of 11

2) The test results of PBBs & PBDEs

	lln!t	MDI	Results	Limit
Item	Unit	MDL	(25)	
Polybrominated Biphenyls (PBBs)				
Monobromobiphenyl	mg/kg	5	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	
Decabromodiphenyl	mg/kg	5	N.D.	
Total content	mg/kg	1	N.D.	1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)				
Monobromodiphenyl ether	mg/kg	5	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	G.
Pentabromodiphenyl ether	mg/kg	5	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	
Total content	mg/kg	1	N.D.	1000


Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.



Report No.: LCS200506016AR001 Date: 2020.05.11 Page 9 of 11

Appendix








Report No.: LCS200506016AR001 Date: 2020.05.11 Page 10 of 11

The photo of the sample















Report No.: LCS200506016AR001 Page 11 of 11 Date: 2020.05.11









****** End of Report *********

Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- Without written approval of LCS, this report can't be reproduced except in full. 3.
- The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

















